

# Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Page: 1/12

Printing date: 10/21/2016 Revision: 10/21/2016

#### 1 Identification

· Product identifier

· Trade name: MM80

· Product code: MM80 Part B

· Recommended use and restriction on use

· Recommended use: Epoxy joint filler

Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

METZGER/McGUIRE

Mailing Address:

PO Box 2217

Concord, NH 03302

Shipping Address:

807 Route 3-A

Bow, NH 03304

Phone: 603-224-6122

Toll Free: 800-223-6680

Email: info@metzgermcguire.com

· Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

# 2 Hazard(s) identification

#### · Classification of the substance or mixture

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 2 H330 Fatal if inhaled.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1  $\,$  H317  $\,$  May cause an allergic skin reaction.

Muta. 2 H341 Suspected of causing genetic defects.

Repr. 2 H361 Suspected of damaging fertility or the unborn child. Route of exposure: Oral.

STOT SE 3 H335 May cause respiratory irritation.

· Additional information: H330 hazard applies to aerosolized material only.

#### · Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:









GHS05 GHS06 GHS07 GHS08

· Signal word: Danger

(Cont'd. on page 2)



acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

(Cont'd. of page 1)

Page: 2/12

#### · Hazard statements:

H302+H312 Harmful if swallowed or in contact with skin.

H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects.

H361 Suspected of damaging fertility or the unborn child. Route of exposure: Oral.

May cause respiratory irritation. H335

#### **Precautionary statements:**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist/vapors/spray.

In case of inadequate ventilation wear respiratory protection. P284

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection. P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace. P272

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P363 Wash contaminated clothing before reuse.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. IF exposed or concerned: Get medical advice/attention. P308+P313

Store locked up. P405

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

## 3 Composition/information on ingredients

l	· Chemical characterization: Mixtures			
l	· Components:			
l	111-40-0 2,2'-iminodiethylamine	25-50%		
	Acute Tox. 2, H330 Skin Corr. 1B, H314 Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; STOT SE 3, H335			
l	80-05-7 bisphenol A	20-50%		
	Repr. 2, H361 Eye Dam. 1, H318 Skin Sens. 1, H317; STOT SE 3, H335			
1	(0, 41)			

(Cont'd. on page 3)



Page: 3/12

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

(Cont'd	. of page 2)
84852-15-3 4-nonylphenol, branched	15-25%
Repr. 2, H361 Skin Corr. 1B, H314; Eye Dam. 1, H318 Acute Tox. 4, H302	
Trade Secret Amidoamine	5-15%
Muta. 2, H341 Skin Corr. 1B, H314	
₹ Skin Sens. 1, H317; STOT SE 3, H335	

#### · Additional information:

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

### 4 First-aid measures

- Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Do not pull solidified product away from the skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation or rash occurs: Get medical advice/attention.

Seek immediate medical help for blistering or open wounds.

### · After eye contact:

Protect unharmed eye.

Remove contact lenses if worn, if possible.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

#### · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

#### · Most important symptoms and effects, both acute and delayed:

Headache

Breathing difficulty

Coughing

Allergic reactions

Strong caustic effect on skin and mucous membranes.

May cause respiratory irritation.

Nausea in case of ingestion.

Gastric or intestinal disorders when ingested.

Vomiting.

Diarrhea.

### · Danger:

Danger of impaired breathing.

Danger of gastric perforation.

Harmful if swallowed or in contact with skin.

Causes severe skin burns and eye damage.

Fatal if inhaled.

Suspected of damaging fertility or the unborn child. Route of exposure: Oral.

Suspected of causing genetic defects.

(Cont'd. on page 4)



Page: 4/12

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

(Cont'd. of page 3)

Indication of any immediate medical attention and special treatment needed:

Medical supervision for at least 48 hours.

Contains 2,2'-iminodiethylamine, bisphenol A, Trade Secret Polyamido amine. May produce an allergic reaction.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

If medical advice is needed, have product container or label at hand.

### 5 Fire-fighting measures

- **Extinguishing media**
- Suitable extinguishing agents:

Water fog / haze

Foam

Gaseous extinguishing agents

Fire-extinguishing powder

- · For safety reasons unsuitable extinguishing agents: Water spray
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Ensure adequate ventilation.

Use personal protective equipment as required.

Environmental precautions

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling
- Precautions for safe handling:

Use only in well ventilated areas.

Prevent formation of aerosols.

(Cont'd. on page 5)



Page: 5/12

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

(Cont'd. of page 4)

Keep out of reach of children.

Avoid contact with the eyes and skin. Avoid breathing mist, vapors, or spray.

Information about protection against explosions and fires:

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Do not store together with acids.

- · Further information about storage conditions: Keep containers tightly sealed.
- · Specific end use(s) No relevant information available.

### 8 Exposure controls/personal protection

Control parameters

· Components with limit values that require monitoring at the workplace:					
111-40-0 2,2'-in	111-40-0 2,2'-iminodiethylamine				
REL (USA)	Long-term value: 4 mg/m³, 1 ppm Skin				
TLV (USA)	Long-term value: 4.2 mg/m³, 1 ppm Skin				
EL (Canada)	Long-term value: 1 ppm Skin; S				
EV (Canada)	Long-term value: 4 mg/m³, 1 ppm Skin				
LMPE (Mexico)	Long-term value: 1 ppm				

- Exposure controls
- · Personal protective equipment:

PIEL

· General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Pregnant women should strictly avoid inhalation or skin contact.

- · Engineering controls: No relevant information available.
- · Breathing equipment:

Use suitable respiratory protective device when aerosol or mist is formed.

Use respiratory protection when grinding or cutting material.

(Cont'd. on page 6)



acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

· Protection of hands:

(Cont'd. of page 5)

Page: 6/12



Protective gloves

· Material of gloves Nitrile rubber, NBR Neoprene gloves Butyl rubber, BR

Eye protection:



Safety glasses

· Body protection: Protective work clothing

· Limitation and supervision of exposure into the environment

Avoid release to the environment.

# 9 Physical and chemical properties

Information on basic physical an Appearance:	d chemical properties
Form: Color: Odor: Odor threshold:	Liquid Light amber. Amine-like Not determined.
· pH-value: · Melting point/Melting range: · Boiling point/Boiling range:	Not determined. Not determined. >149 °C (>300 °F)
· Flash point:	>93 °C (>199 °F)
· Flammability (solid, gaseous):	Not applicable.
· Auto-ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits Lower: Upper: · Oxidizing properties:	Not determined. Not determined. Not determined.
· Vapor pressure:	Not determined.
Density: Relative density at 20 °C (68 °F): Vapor density:	0.99 g/cm³ (8.262 lbs/gal) Not determined.

(Cont'd. on page 7)



Page: 7/12

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

(Cont'd. of page 6)

**Evaporation rate:** Not determined.

· Solubility in / Miscibility with

Water: Slightly soluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity

**Dynamic:** 200-500 cPs **Kinematic:** Not determined.

• Other information No relevant information available.

### 10 Stability and reactivity

· Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions

Exothermic polymerization.

Reacts with oxidizing agents.

Reacts with strong acids and alkali.

Reacts with peroxides and other radical forming substances.

Reacts with catalysts.

· Conditions to avoid

Store away from oxidizing agents.

Avoid acids.

Excessive heat.

- · Incompatible materials Oxidizers, strong bases, strong acids
- · Hazardous decomposition products

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Ammonia

# 11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:

· Acute toxicity:					
· LD/LC50	values th	at are relevant for classification:			
111-40-0	2, <b>2'-imin</b> o	odiethylamine			
Oral	LD50	1080 mg/kg (rat)			
Dermal	LD50	1090 mg/kg (rabbit)			
Inhalative	LC50/4h	0.3 mg/l (rat)			
80-05-7 b	isphenol .	A			
Oral	LD50	3250 mg/kg (rat)			

(Cont'd. on page 8)



Page: 8/12

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

(Cont'd. of page 7)

Dermal LD50 3000 mg/kg (rabbit)

- · Primary irritant effect:
- · On the skin: Caustic effect on skin and mucous membranes.
- On the eye: Strong caustic effect.
- · Sensitization: Sensitization possible through skin contact.
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

### · NTP (National Toxicology Program):

None of the ingredients are listed.

### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

### · Probable route(s) of exposure:

Ingestion.

Eye contact.

Skin contact.

### · Acute effects (acute toxicity, irritation and corrosivity):

Irritating if inhaled, causing symptoms of coughing and shortness of breath.

Danger through skin absorption.

Harmful if swallowed or in contact with skin.

Fatal if inhaled.

- · Repeated dose toxicity: Possible risk of irreversible effects.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Muta. 2, Repr. 2

- · Germ cell mutagenicity: Suspected of causing genetic defects.
- · Carcinogenicity: Based on available data, the classification criteria are not met.
- · Reproductive toxicity: Suspected of damaging fertility or the unborn child. Route of exposure: Oral.
- · STOT-single exposure: May cause respiratory irritation.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity Toxic to aquatic life with long lasting effects.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- Additional ecological information
- · General notes: Avoid release to the environment.
- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No relevant information available.

(Cont'd. on page 9)



acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

(Cont'd. of page 8)

(Cont'd. on page 10)

Page: 9/12

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

· Class

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- Recommendation: Disposal must be made according to official regulations.

Transport information	
UN-Number DOT, ADR, IMDG, IATA	UN2735
· UN proper shipping name · DOT, IATA	Amines, liquid, corrosive, n.o.s. (Diethylenetriamir Polyamidoamine)
· ADR · IMDG	AMINES, LIQUID, CORROSIVE, N.O. (DIETHYLENETRIAMINE, POLYAMIDOAMINE ENVIRONMENTALLY HAZARDOUS AMINES, LIQUID, CORROSIVE, N.O.
	(DIETHYLENETRIAMINE, POLYAMIDOAMINI MARINE POLLUTANT
Transport hazard class(es)	
DOT	
CORROSVE	
Class	8 Corrosive substances
Label	8
ADR	
Class	8 (C7) Corrosive substances
Label	8
· IMDG	

8 Corrosive substances



Page: 10/12

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

(Cont'd. of page 9) · Label 8 · IATA · Class 8 Corrosive substances · Label Packing group · DOT, ADR, IMDG, IATA Ш Environmental hazards Product contains environmentally hazardous substances: 4-nonylphenol, branched · Marine pollutant: Symbol (fish and tree) Special precautions for user Warning: Corrosive substances Danger code (Kemler): **EMS Number:** F-A,S-B · Segregation groups Alkalis Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. Transport/Additional information: Mist is not likely to be generated in a leakage of the transport container. · DOT Product is additionally classified as a MARINE POLLUTANT based on MARPOL and DOT rules. Labeling as a MARINE POLLUTANT is not required for non-bulk single package shipments by motor vehicle, rail car or aircraft. Bulk packaging consists of a maximum capacity of greater than 450L (119 gallons) for a liquid and a maximum net mass greater than 400kg (882 pounds) for a solid. Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L each. · ADR Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L each.

(Cont'd. on page 11)



Page: 11/12

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

(Cont'd. of page 10)

·IMDG



Limited Quantity for packages less than 30 kg gross and inner packagings less than 1 L each.

·IATA



Limited Quantity for packages less than 30 kg gross and inner packagings less than 0.1 L each / 0.5 L net.

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

84852-15-3 4-nonylphenol, branched

80-05-7 bisphenol A

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

80-05-7 bisphenol A

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency):

None of the ingredients are listed.

IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

(Cont'd. on page 12)



Page: 12/12

acc. to OSHA HCS (29 CFR 1910.1200) and WHMIS 2015 regulations

Printing date: 10/21/2016 Revision: 10/21/2016

Trade name: MM80

(Cont'd. of page 11)

· NIOSH-Ca (National Institute for Occupational Safety and Health):

None of the ingredients are listed.

· Canadian Domestic Substances List (DSL):

All ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 10/21/2016 / -

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health LDLo: Lowest Lethal Dose Observed Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Muta. 2: Germ cell mutagenicity – Category 2 Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

#### Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com