# SAFETY DATA SHEET PROSOCO, Inc.



Issue Date 11-Mar-2015 Revision Date 29-Feb-2016

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Name Consolideck® GemTone Stain Antique Cork

Other means of identification

Product Code 46180

Recommended use of the chemical and restrictions on use

Recommended Use Restricted to professional users.

Uses advised against No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** 

PROSOCO, Inc. 3741 Greenway Circle Lawrence, Kansas 66046

Emergency telephone number

**8:00 AM** – **5:00 PM CST Monday-Friday** 785-865-4200 **NON-BUSINESS HOURS (INFOTRAC)** 800-535-5053

## 2. HAZARDS IDENTIFICATION

#### Classification

Serious eye damage/eye irritation Category 2

#### Label elements

## **Emergency Overview**

## Warning

## Hazard statements

Causes serious eye irritation



Appearance black Physical state Liquid Odor Slight

## **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection

#### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

## Hazards not otherwise classified (HNOC)

#### Other Information

- · May be harmful if swallowed
- · May be harmful in contact with skin
- May cause skin irritation

6.4% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trade Secret
Diethylene glycol monobutyl ether	112-34-5	60 - 100	*
Yellow Solvent Dye	Proprietary	3 - 7	*
Sodium dioctyl sulfosuccinate	577-11-7	1 - 5	*
Proprietary Solvent Red Dye	Proprietary	1 - 5	*

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

## First aid measures

**General advice** If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep

eye wide open while rinsing. Call a physician.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Move to fresh air in case of accidental inhalation of vapors. If symptoms persist, call a

physician.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth

to an unconscious person. Call a physician.

**Self-protection of the first aider**Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

**Symptoms** Causes serious eye irritation. May cause skin irritation.

Indication of any immediate medical attention and special treatment needed

## 5. FIRE-FIGHTING MEASURES

## **Suitable Extinguishing Media**

Dry chemical, CO2, water spray or alcohol-resistant foam.

Unsuitable Extinguishing Media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

No information available.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

breathing vapors or mists.

**Environmental precautions** 

**Environmental precautions** Prevent entry into waterways, sewers, basements or confined areas. Do not flush into

surface water or sanitary sewer system. Prevent product from entering drains. See Section

12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers. Clean contaminated surface thoroughly.

## 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Ensure adequate ventilation, especially in confined areas. Use personal protective

equipment as required. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or

mists.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated

place. Keep in properly labeled containers.

**Incompatible materials** Incompatible with oxidizing agents. Incompatible with strong acids and bases.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

**Exposure Guidelines** 

ACGIH TLV	OSHA PEL	NIOSH IDLH
-	TWA: 0.5 mg/m <sup>3</sup> Cr	IDLH: 15 mg/m3 Cr(VI) IDLH: 25
	(vacated) TWA: 0.5 mg/m³ Cr	mg/m³ Cr(III)
	(vacated) Ceiling: 0.1 mg/m <sup>3</sup>	TWA: 0.001 mg/m <sup>3</sup> Cr TWA: 0.5
	Ceiling: 0.1 mg/m <sup>3</sup> CrO3 applies	mg/m³ Cr
	to any operations or sectors for	
	which the Hexavalent Chromium	
	standard [29 CFR 1910.1026] is	
	stayed or is otherwise not in	
	effect	
	ACGIH TLV	TWA: 0.5 mg/m³ Cr (vacated) TWA: 0.5 mg/m³ Cr (vacated) Ceiling: 0.1 mg/m³ Ceiling: 0.1 mg/m³ CrO3 applies to any operations or sectors for which the Hexavalent Chromium standard [29 CFR 1910.1026] is stayed or is otherwise not in

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

#### Appropriate engineering controls

Slight

**Engineering Controls** None under normal use conditions.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

**ASTM D 3278** 

provided in accordance with current local regulations.

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular **General Hygiene Considerations** 

cleaning of equipment, work area and clothing is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

**Physical state** Liquid **Appearance** black Odor

Color black Odor threshold No information available

**Property** Values Remarks • Method Not Applicable

Not Applicable Hq

Melting point/freezing point 0 °C / 32 °F Boiling point/boiling range No information available

Flash point > 100 °C / > 212 °F

**Evaporation rate** No information available No information available

Flammability (solid, gas) Flammability Limits in Air

Upper flammability limits No information available Lower flammability limit No information available Vapor pressure No information available Vapor density No information available

**Specific Gravity** 1.0

Water solubility Soluble in water

Solubility in other solvents No information available No information available Partition coefficient No information available **Autoignition temperature Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available

# 10. STABILITY AND REACTIVITY

## Reactivity

No data available

## **Chemical stability**

Stable under recommended storage conditions.

## **Possibility of Hazardous Reactions**

None under normal processing.

## **Conditions to avoid**

Extremes of temperature and direct sunlight.

## Incompatible materials

Incompatible with oxidizing agents. Incompatible with strong acids and bases.

**Hazardous Decomposition Products** 

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

Product Information Causes serious eye damage May cause irritation

**Inhalation** Avoid breathing vapors or mists. May be harmful if inhaled.

Eye contact Avoid contact with eyes. Corrosive to the eyes and may cause severe damage including

blindness.

**Skin Contact** Avoid contact with skin. May cause irritation.

**Ingestion** Do not taste or swallow. Harmful if swallowed.

**Component Information** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Diethylene glycol monobutyl ether 112-34-5	= 3384 mg/kg ( Rat )	= 2700 mg/kg (Rabbit)	-
Sodium dioctyl sulfosuccinate 577-11-7	= 1900 mg/kg ( Rat )	= 10000 mg/kg ( Rabbit )	-

#### Information on toxicological effects

**Symptoms** Causes serious eye irritation. May cause skin irritation.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization**No information available. **Germ cell mutagenicity**No information available.

Carcinogenicity This product does not contain any carcinogens or potential carcinogens as listed by OSHA,

IARC or NTP.

Chemical Name	ACGIH	IARC	NTP	OSHA
Proprietary Solvent Red Dye	-	Group 3	-	-

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.

Chronic toxicity Avoid repeated exposure. May cause adverse effects on the bone marrow and

blood-forming system. May cause adverse liver effects. blood, Eyes, kidney, liver, lungs, Respiratory system, Skin.

Target Organ Effects blood, Eyes, kidney, liver Aspiration hazard No information available.

## Numerical measures of toxicity - Product Information

**Unknown Acute Toxicity** 6.4% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

 ATEmix (oral)
 3598 mg/kg

 ATEmix (dermal)
 3139 mg/kg mg/kg

## 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Diethylene glycol monobutyl ether	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50	-	2850: 24 h Daphnia magna mg/L EC50 100: 48 h

112-34-5		static		Daphnia magna mg/L EC50
Sodium dioctyl sulfosuccinate	-	20 - 40: 96 h Oncorhynchus mykiss mg/L LC50	-	36: 48 h Daphnia magna mg/L EC50
577-11-7		semi-static 24: 96 h		J
		Oncorhynchus mykiss mg/L		
		LC50 static 37: 96 h Lepomis macrochirus mg/L		
		LC50 static		

## Persistence and degradability

No information available.

#### Bioaccumulation

No information available.

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

US EPA Waste Number D007

This product contains one or more substances that are listed with the State of California as a hazardous waste.

## 14. TRANSPORT INFORMATION

**DOT** Not Regulated for all modes of transportation.

## 15. REGULATORY INFORMATION

**International Inventories** 

TSCA Complies
DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

## **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Proprietary Solvent Red Dye -	-	1 - 5	1.0

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard No
Sudden release of pressure hazard No
Reactive Hazard No

#### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Proprietary Solvent Red Dye	-	Х	-	-

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Diethylene glycol monobutyl ether 112-34-5	Х	-	Х
Proprietary Solvent Red Dye	Х	-	Х
Ethanol 64-17-5	Х	Х	Х

## **16. OTHER INFORMATION**

NFPA Health hazards 2 Flammability 1 Instability 0 Physical and Chemical Properties -

HMIS Health hazards 2 Flammability 1 Physical hazards 0 Personal protection X

Prepared By Regulatory Department

Issue Date 11-Mar-2015 Revision Date 29-Feb-2016

**Revision Note** 

SDS sections updated 4 11

#### Disclaimer

The information contained on the Safety Data Sheet has been compiled from data considered accurate. This data is believed to be reliable, but it must be pointed out that values for certain properties are known to vary from source to source. PROSOCO, Inc. expressly disclaims any warranty express or implied as well as any liability for any injury or loss arising from the use of this information or the materials described. This data is not to be construed as absolutely complete since additional data may be desirable when particular conditions or circumstances exist. It is the responsibility of the user to determine the best precautions necessary for the safe handling and use of this product for his unique application. This data relates only to the specific material designated and is not to be used in combination with any other material. Many federal and state regulations pertain directly or indirectly to the product's end use and disposal of containers and unused material. It is the purchaser's responsibility to familiarize himself with all applicable regulations.

**End of Safety Data Sheet**